

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : GREEN'R STAIN WASH POWER
Product code : 1113
Type of product : Detergent
Product group : Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional uses
Use of the substance/mixture : Stain remover
Use of the substance/mixture : Laundry detergents

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Manufacturer

Christeyns France
31 rue de la Maladr e
44120 VERTOU
France
T +33 (0)240 80 27 27 - F +33 (0)240 03 09 73
health-security@christeyns.fr - www.christeyns.com

Distributor

Casoria Company Ltd. Ltd
1 Farnham Street
IE- H12 A9K0 Cavan – Co. Cavan
Ireland
T 00353 49 4361869 - F 00353 49 436 1869
sds@casoria.ie - www.casoria.ie

Distributor

Christeyns UK Ltd.
Rutland Street
GB- Bradford BD4 7EA
United Kingdom
T +44 (0)1274 39 32 86 - F +44 (0)1274 30 91 43
info@christeyns.be - www.christeyns.com

Distributor

Christeyns Technologies Ltd.
Mazars, Block 3, Harcourt Centre, Harcourt Road
IE- 2 Dublin
Ireland
T +353 1 8146022

Distributor

Christeyns Food Hygiene Ltd. Ltd
2, Cameron Court, Winwick Quay
GB- WA2 8RE Warrington – Cheshire
United Kingdom
T +44 (0)1925 23 46 96 - F +44 (0)1925 23 46 93
UK-foodinfo@christeyns.com - www.christeyns.com

1.4. Emergency telephone number

Country	Official advisory body	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH Birmingham	0344 892 0111	Only for healthcare professionals

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Serious eye damage/eye irritation, Category 1 H318

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Causes serious eye damage.

GREEN'R STAIN WASH POWER

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS05

CLP Signal word	: Danger
Contains	: Alcohols, C12-14, ethoxylated, sulfates, sodium salts, Alcohols, C12-18, ethoxylated, Alcohol ethoxylated, C13-C15
Hazard statements (CLP)	: H318 - Causes serious eye damage.
Precautionary statements (CLP)	: P280 - Wear eye protection. P305+P351+P338+P310 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER, a doctor.

2.3. Other hazards

Contains no PBT/vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

Component	
Alcohols, C12-18, ethoxylated (68213-23-0)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Alcohols, C12-14, ethoxylated, sulfates, sodium salts (68891-38-3)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Alcohol ethoxylated, C13-C15 (157627-86-6)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Alcohols, C12-18, ethoxylated	CAS-no: 68213-23-0 Einecs nr: 500-201-8 REACH-no: exemption polymer	5 – 10	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318 Aquatic Chronic 3, H412
(2-methoxymethylethoxy)propanol substance with national workplace exposure limit(s) (AT, BE, BG, CY, CZ, DK, EE, ES, FI, FR, GB, GI, GR, HR, HU, IE, IT, LT, LU, LV, MT, NL, PL, PT, RO, SE, SI, SK, AL, IS, NO, MK, RS, CH, TR); substance with a Community workplace exposure limit	CAS-no: 34590-94-8 Einecs nr: 252-104-2 REACH-no: 01-2119450011-60	5 – 10	Not classified
Monopropylene glycol; 1,2-propane glycol substance with national workplace exposure limit(s) (GB, HR, IE, LT, LV, PL, NO)	CAS-no: 57-55-6 Einecs nr: 200-338-0 REACH-no: 01-2119456809-23	5 – 10	Not classified
Alcohols, C12-14, ethoxylated, sulfates, sodium salts	CAS-no: 68891-38-3 Einecs nr: 500-234-8 REACH-no: 01-2119488639-16	$\geq 3 - < 5$	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 3, H412
Sodium cumenesulphonate	CAS-no: 15763-76-5 Einecs nr: 239-854-6 REACH-no: 01-2119489411-37	1 – 3	Eye Irrit. 2, H319

GREEN'R STAIN WASH POWER

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Alcohol ethoxylated, C13-C15	CAS-no: 157627-86-6 Einecs nr: 500-337-8	1 – 3	Eye Irrit. 2, H319 Aquatic Acute 1, H400 Aquatic Chronic 3, H412
Protease (Alkaline bacterial protease, Subtilisine) substance with national workplace exposure limit(s) (NL)	CAS-no: 9014-01-1 Einecs nr: 232-752-2 EG annex nr: 647-012-00-8 REACH-no: 01-2119480434-38	< 1	STOT SE 3, H335 Skin Irrit. 2, H315 Eye Dam. 1, H318 Resp. Sens. 1, H334

Specific concentration limits:		
Name	Product identifier	Specific concentration limits
Alcohols, C12-14, ethoxylated, sulfates, sodium salts	CAS-no: 68891-38-3 Einecs nr: 500-234-8 REACH-no: 01-2119488639-16	(5 ≤C < 10) Eye Irrit. 2, H319 (10 ≤C < 100) Eye Dam. 1, H318
Alcohol ethoxylated, C13-C15	CAS-no: 157627-86-6 Einecs nr: 500-337-8	(10 <C ≤ 100) Eye Dam. 1, H318

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice	: In all cases of doubt, or when symptoms persist, seek medical attention.
Inhalation	: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.
Skin contact	: Take off contaminated clothing and wash it before reuse. Wash skin with plenty of water.
Eye contact	: If eye irritation persists: Get medical advice/attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Ingestion	: Rinse mouth with water, do not induce vomiting, call a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Acute effects inhalation	: No data available.
Acute effects skin	: No data available.
Acute effects eyes	: Causes serious eye damage.
Acute effects oral route	: No data available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Foam. Carbon dioxide. Water spray. Dry powder.
Unsuitable extinguishing media	: Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire	: Combustion products may include the following: carbon oxides (CO, CO ₂) (carbon monoxide, carbon dioxide) nitrogen oxides (NO, NO ₂ etc.).
--	---

5.3. Advice for firefighters

Firefighting instructions	: Fight fire with normal precautions from a reasonable distance. Prevent fire fighting water from entering the environment.
Protection during firefighting	: Use self-contained breathing apparatus and chemically protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Protective equipment	: Concerning personal protective equipment to use, see section 8.
Emergency procedures	: Ventilate spillage area. Avoid contact with skin and eyes. Only qualified personnel equipped with suitable protective equipment may intervene. Evacuate unnecessary personnel.

GREEN'R STAIN WASH POWER

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment.
Emergency procedures : Stop leak if safe to do so. Prevent from entering sewers, basements and workpits, or any place where its accumulation can be dangerous.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Absorb spilled material with sand or earth.
Methods for cleaning up : Clear up rapidly by scoop or vacuum. Wash away remainder with plenty of water.
Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13. For further information refer to section 8: "Exposure controls/personal protection".

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Emergency eye showers should be available nearby. Avoid contact with skin and eyes. Wear personal protective equipment.

Hygiene measures : Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store at ambient temperature. Protect from sunlight. Store in original container.
Storage temperature : 5 – 40 °C
Storage area : Store in a well-ventilated place.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

(2-methoxymethylethoxy)propanol (34590-94-8)	
EU - Indicative Occupational Exposure Limit (IOEL)	
Local name	(2-Methoxymethylethoxy)-propanol
IOEL TWA	308 mg/m ³
IOEL TWA [ppm]	50 ppm
Remark	Skin
Regulatory reference	COMMISSION DIRECTIVE 2000/39/EC COMMISSION DIRECTIVE 2000/39/EC
Ireland - Occupational Exposure Limits	
Local name	(2-Methoxymethylethoxy)-l-propanol
OEL TWA [1]	308 mg/m ³
OEL TWA [2]	50 ppm
Remark	Sk (Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body), IOELV (Indicative Occupational Exposure Limit Values)
Regulatory reference	Chemical Agents Code of Practice 2021
United Kingdom - Occupational Exposure Limits	
Local name	(2-methoxymethylethoxy) propanol
WEL TWA (OEL TWA) [1]	308 mg/m ³
WEL TWA (OEL TWA) [2]	50 ppm
Remark	Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity)
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

GREEN'R STAIN WASH POWER

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Monopropyleneglycol; 1,2-propane glycol (57-55-6)	
Ireland - Occupational Exposure Limits	
Local name	Propane-1,2-diol [Propylene glycol]
OEL TWA [1]	470 mg/m ³ total (vapour and particulates) 10 mg/m ³ particulates
OEL TWA [2]	150 ppm total (vapour and particulates)
Regulatory reference	Chemical Agents Code of Practice 2021
United Kingdom - Occupational Exposure Limits	
Local name	Propane-1,2-diol
WEL TWA (OEL TWA) [1]	10 mg/m ³ particulates 474 mg/m ³ total vapour and particulates
WEL TWA (OEL TWA) [2]	150 ppm total vapour and particulates
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

8.2.2.1. Eye and face protection

Eye protection:

Safety glasses. EN 166

8.2.2.2. Skin protection

Protective equipment:

Protective clothing not absolutely necessary

Hand protection:

Chemical resistant PVC gloves (to European standard EN 374 or equivalent). Time of penetration is to be checked with the glove producer. Nitrile rubber gloves

8.2.2.3. Respiratory protection

Respiratory protection:

No personal breathing protective equipment is normally required. In case of insufficient ventilation, wear suitable respiratory equipment. Breathing apparatus with combined vapor/particle filter (EN 141). Extra personal protection: A/P2 filter respirator for organic vapour and harmful dust

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : Colourless.

GREEN'R STAIN WASH POWER

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Physical state/form	: Liquid.
Odour	: odourless.
Odour threshold	: Not available
Melting point/range	: Not determined as it is not relevant for the characterization of the product
Freezing point	: Not determined as it is not relevant for the characterization of the product
Softening point	: Not determined as it is not relevant for the characterization of the product
Boiling point/Boiling range	: Not determined as it is not relevant for the characterization of the product
Flammability	: Not applicable (aqueous liquid)
Explosive properties	: Constituents do not contain chemical groups associated with explosivity.
Explosive limits	: Not available
Lower explosion limit	: Not determined as it is not relevant for the characterization of the product
Upper explosion limit	: Not determined as it is not relevant for the characterization of the product
Flash point	: Not determined as it is not relevant for the characterization of the product
Autoignition temperature	: Not determined as it is not relevant for the characterization of the product
Decomposition temperature	: Not determined as it is not relevant for the characterization of the product
pH	: 7 – 9.5
pH solution concentration	: 100 %
Viscosity, kinematic	: Not available
Solubility	: Water: 100 %
Partition coefficient n-octanol/water (Log Kow)	: Not available
Log Pow	: Not applicable for preparations
Vapour pressure	: Without VOC (volatile organic compounds)
Vapour pressure at 50 °C	: Not available
Density	: 1.035 g/cm ³
Relative density	: 1.02 – 1.05
Relative vapour density at 20 °C	: Without VOC (volatile organic compounds)
Particle characteristics	: Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

The product is stable at normal handling and storage conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Extremely high or low temperatures.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Hazardous decomposition products may be released during prolonged heating like smokes, carbon monoxide and dioxide. Nitrogen oxides.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified

Acute toxicity (dermal) : Not classified

Acute toxicity (inhalation) : Not classified

Alcohols, C12-14, ethoxylated, sulfates, sodium salts (68891-38-3)

LD50 oral rat	> 4100 mg/kg OCDE 401
LD50 dermal rat	> 2000 mg/kg OCDE 402

GREEN'R STAIN WASH POWER

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Alcohols, C12-18, ethoxylated (68213-23-0)	
LD50 oral rat	300 – 2000 mg/kg
(2-methoxymethylethoxy)propanol (34590-94-8)	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rabbit	13000 – 14000 mg/kg
Alcohol ethoxylated, C13-C15 (157627-86-6)	
LD50 oral rat	≥ 5000 mg/kg
LD50 dermal rat	≥ 2000 mg/kg
Sodium cumenesulphonate (15763-76-5)	
LD50 oral rat	> 2000 mg/kg
LD50 dermal rabbit	≥ 2000 mg/kg bodyweight Animal: rabbit, Guideline: EPA OTS 798.1100 (Acute Dermal Toxicity)
Monopropyleneglycol; 1,2-propane glycol (57-55-6)	
LD50 oral rat	20 g/kg
LD50 dermal rat	22500 mg/kg
LD50 dermal rabbit	20800 mg/kg
Protease (Alkaline bacterial protease, Subtilisine) (9014-01-1)	
LD50 oral	1800 mg/kg bodyweight
Skin corrosion/irritation	: Not classified pH: 7 – 9.5
Serious eye damage/irritation	: Causes serious eye damage. pH: 7 – 9.5
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Sodium cumenesulphonate (15763-76-5)	
NOAEL (chronic, oral, animal/female, 2 years)	≥ 60 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies), Remarks on results: other:
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
Protease (Alkaline bacterial protease, Subtilisine) (9014-01-1)	
STOT-single exposure	May cause respiratory irritation.
STOT-repeated exposure	: Not classified
Sodium cumenesulphonate (15763-76-5)	
NOAEL (oral, rat, 90 days)	763 – 3534 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents)
Aspiration hazard	: Not classified

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Not classified

GREEN'R STAIN WASH POWER

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Alcohols, C12-14, ethoxylated, sulfates, sodium salts (68891-38-3)	
LC50 - Fish [1]	7.1 mg/l OCDE 203
EC50 - Crustacea [1]	7.2 mg/l
EC50 72h - Algae [1]	27.7 mg/l
EC50 96h - Algae [1]	7.5 mg/l
NOEC chronic crustacea	0.27 mg/l
NOEC chronic algae	0.95 mg/l
(2-methoxymethylethoxy)propanol (34590-94-8)	
EC50 - Crustacea [1]	1.919 mg/l
ErC50 other aquatic plants	> 969 mg/l
LOEC (chronic)	0.5 mg/l Test organisms (species): Daphnia magna Duration: '22 d'
NOEC (chronic)	≥ 0.5 mg/l Test organisms (species): Daphnia magna Duration: '22 d'
Alcohol ethoxylated, C13-C15 (157627-86-6)	
LC50 - Fish [1]	1 – 10 mg/l
EC50 - Crustacea [1]	0.1 – 1 mg/l
Sodium cumenesulphonate (15763-76-5)	
LC50 - Fish [1]	> 100 mg/l
EC50 - Crustacea [1]	> 100 mg/l
EC50 96h - Algae [1]	≥ 758 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
ErC50 algae	> 100 mg/l
Monopropyleneglycol; 1,2-propane glycol (57-55-6)	
LC50 - Fish [1]	51400 mg/l
LC50 - Fish [2]	51600 mg/l
EC50 - Crustacea [1]	34400 mg/l
Protease (Alkaline bacterial protease, Subtilisine) (9014-01-1)	
LC50 - Fish [1]	8.2 mg/l
EC50 - Other aquatic organisms [1]	0.868 mg/l waterflea
12.2. Persistence and degradability	
GREEN'R STAIN WASH POWER	
Persistence and degradability	The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.
Alcohols, C12-14, ethoxylated, sulfates, sodium salts (68891-38-3)	
Persistence and degradability	Readily biodegradable, according to appropriate OECD test.
Alcohols, C12-18, ethoxylated (68213-23-0)	
Persistence and degradability	Biodegradable.
12.3. Bioaccumulative potential	
GREEN'R STAIN WASH POWER	
Log Pow	Not applicable for preparations
(2-methoxymethylethoxy)propanol (34590-94-8)	
Log Pow	0.004 (25 °C; pH 7,5 - 7,7) (OECD 107)

GREEN'R STAIN WASH POWER

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Monopropyleneglycol; 1,2-propane glycol (57-55-6)

Log Pow	-1.36
---------	-------

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods

: Dispose of in accordance with relevant local regulations.

Product/Packaging disposal recommendations

: a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste. Refer to manufacturer/supplier for information on recovery/recycling.

Waste / unused products

: Collect all waste in suitable and labelled containers and dispose according to local legislation.

European List of Waste (LoW) code

: 20 01 30 - detergents other than those mentioned in 20 01 29

HP Code

: HP4 - "Irritant – skin irritation and eye damage:" waste which on application can cause skin irritation or damage to the eye.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA

ADR	IMDG	IATA
14.1. UN number or ID number		
Not regulated	Not regulated	Not regulated
14.2. UN proper shipping name		
Not regulated	Not regulated	Not regulated
14.3. Transport hazard class(es)		
Not regulated	Not regulated	Not regulated
14.4. Packing group		
Not regulated	Not regulated	Not regulated
14.5. Environmental hazards		
Not regulated	Not regulated	Not regulated
No supplementary information available		

14.6. Special precautions for user

Overland transport

Not regulated

Transport by sea

Not regulated

Air transport

Not regulated

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

GREEN'R STAIN WASH POWER

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

CESIO recommendations : The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Other information, restriction and prohibition regulations : Not affected by the conditions of restriction _ ANNEXE XVII.

REACH Annex XVII (Restriction List)

Contains no REACH substances with Annex XVII restrictions

REACH Annex XIV (Authorisation List)

Contains no REACH Annex XIV substances

REACH Candidate List (SVHC)

Contains no substance on the REACH candidate list

PIC Regulation (Prior Informed Consent)

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

POP Regulation (Persistent Organic Pollutants)

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Ozone Regulation (1005/2009)

Contains no substance subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

Detergent Regulation (648/2004)

Labelling of contents	
Component	%
anionic surfactants, non-ionic surfactants	5-15%
enzymes	

Explosives Precursors Regulation (2019/1148)

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on drug precursors)

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Indication of changes			
Section	Changed item	Change	Comments
	Regulatory framework	Modified	

Other information : It is recommended to pass the information of this safety data sheet in an appropriate form to the users. Such information is actually the best of our knowledge and believes accurate as reliable. This information relates to the specific material designated and may not be valid in combination with other products.
This safety data sheet is in compliance with 1907/2006/EEC. It is user's liabilities to take all necessary measures to meet local required laws and regulations. The producer is not responsible for any damage and loss due to the use of information mentioned in this safety data sheet.

GREEN'R STAIN WASH POWER

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
H302	Harmful if swallowed.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H412	Harmful to aquatic life with long lasting effects.
Resp. Sens. 1	Respiratory sensitisation, Category 1
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.