

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Review date: 01/02/2023 Supersedes version of: 05/04/2022 Version: 4.0

Distributor

Ireland

Distributor

IE-2 Dublin Ireland

T +353 1 8146022

1 Farnham Street

Casoria Company Ltd. Ltd

IE- H12 A9K0 Cavan - Co. Cavan

sds@casoria.ie - www.casoria.ie

Christeyns Technologies Ltd.

T 00353 49 4361869 - F 00353 49 436 1869

Mazars, Block 3, Harcout Centre, Harcourt Road

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form Product name UFI Product code

: Mida FOAM 164 SO : 763

: Mixture

: XEAN-5YY3-0P03-VF84

Type of product

: Detergent

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category

Use of the substance/mixture

: Industrial use, Professional use : Alkaline foam detergent

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Manufacturer

Christeyns NV Afrikalaan 182 9000 GENT Belgium T +32 (0)9/ 223 38 71 - F +32 (0)9/ 233 03 44 info@christeyns.be - www.christeyns.com

Distributor

Christeyns UK Ltd. **Rutland Street** GB- Bradford BD4 7EA United Kinadom T +44 (0)1274 39 32 86 - F +44 (0)1274 30 91 43 info@christeyns.be - www.christeyns.com

Distributor

Christeyns Food Hygiene Ltd. Ltd 2, Cameron Court, Winwick Quay GB- WA2 8RE Warrington - Cheshire United Kinadom T +44 (0)1925 23 46 96 - F +44 (0)1925 23 46 93 UK-foodinfo@christeyns.com - www.christeyns.com

1.4. Emergency telephone number				
Country	Official advisory body	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH	0344 892 0111	Only for healthcare professionals

SECTION 2: Hazards identification 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Corrosive to metals, Category 1	H290
Skin corrosion/irritation, Category 1	H314
Serious eye damage/eye irritation, Category 1	H318
Hazardous to the aquatic environment – Chronic Hazard, Category 3	H412
Full text of H- and EUH-statements: see section 16	

Adverse physicochemical, human health and environmental effects

Harmful to aquatic life with long lasting effects.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) GHS05 CLP Signal word : Danger : Amines, C12-14, alkyldimethyl, N-oxides; Potassium hydroxide; Alkylpolyglucoside; Contains Cocamidopropyl betaine; ALKYL ETHER CARBOXYLIC ACID Hazard statements (CLP) : H290 - May be corrosive to metals. H314 - Causes severe skin burns and eye damage. H412 - Harmful to aquatic life with long lasting effects. : P280 - Wear protective clothing, eye protection, face protection, protective gloves. P301+P330+P331+P310 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor. Precautionary statements (CLP) P303+P361+P353+P310 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately call a POISON CENTER or doctor. P305+P351+P338+P310 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor. P390 - Absorb spillage to prevent material damage. 2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Potassium hydroxide substance with national workplace exposure limit(s) (AT, BE, BG, CZ, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, PL, PT, SE, IS, NO, CH)	CAS-no: 1310-58-3 Einecs nr: 215-181-3 EG annex nr: 019-002-00-8 REACH-no: 01-2119487136- 33	5 – 10	Acute Tox. 4 (Oral), H302 Skin Corr. 1A, H314 Eye Dam. 1, H318 Met. Corr. 1, H290
Alkylpolyglucoside	CAS-no: 68515-73-1 Einecs nr: 500-220-1 REACH-no: 01-2119488530- 36	3 – 5	Eye Dam. 1, H318
ALKYL ETHER CARBOXYLIC ACID	CAS-no: 27306-90-7	≥1-<3	Eye Dam. 1, H318
(2-methoxymethylethoxy)propanol substance with national workplace exposure limit(s) (AT, BE, BG, CY, CZ, DK, EE, ES, FI, FR, GB, GI, GR, HR, HU, IE, IT, LT, LU, LV, MT, NL, PL, PT, RO, SE, SI, SK, AL, IS, NO, MK, RS, CH, TR); substance with a Community workplace exposure limit	CAS-no: 34590-94-8 Einecs nr: 252-104-2 REACH-no: 01-2119450011- 60	≥ 1	Not classified
Amines, C12-14, alkyldimethyl, N-oxides	CAS-no: 308062-28-4 Einecs nr: 931-292-6 REACH-no: 01-2119490061- 47	1 – 3	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=1) Aquatic Chronic 2, H411
Cocamidopropyl betaine	CAS-no: 97862-59-4 Einecs nr: 931-296-8 REACH-no: 01-2119488533- 30	1 – 3	Eye Dam. 1, H318 Aquatic Chronic 3, H412

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Benzotriazole substance with national workplace exposure limit(s) (LV)	CAS-no: 95-14-7 Einecs nr: 202-394-1 REACH-no: 01-2119979079- 20	1 – 3	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Aquatic Chronic 2, H411

Specific concentration limits:			
Name	Product identifier	Specific concentration limits	
Potassium hydroxide	CAS-no: 1310-58-3 Einecs nr: 215-181-3 EG annex nr: 019-002-00-8 REACH-no: 01-2119487136- 33	(0.5 ≤C < 2) Eye Irrit. 2, H319 (0.5 ≤C < 2) Skin Irrit. 2, H315 (2 ≤C < 5) Skin Corr. 1B, H314 (5 ≤C ≤ 100) Skin Corr. 1A, H314	
Alkylpolyglucoside	CAS-no: 68515-73-1 Einecs nr: 500-220-1 REACH-no: 01-2119488530- 36	(5 ≤C < 100) Eye Dam. 1, H318	

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures	
General advice	: In case of doubt or persistent symptoms, consult always a physician.
Inhalation	: Take victim to fresh air, in a quiet place and if necessary take medical advice.
Skin contact	: Wash off with plenty of water. In case of faintness or symptoms of skin irritation appear, take medical advice.
Eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.
Ingestion	: Rinse mouth with water, do not induce vomiting, call a doctor.
4.2. Most important symptoms and effects,	both acute and delayed
Acute effects inhalation	: Presents no particular risk when handled in accordance with good occupational hygiene practice.
Acute effects skin	: Burns upon contact with the skin.
Acute effects eyes	: Corrosive to eyes.
Acute effects oral route	: Burns of the upper digestive and respiratory tracts.
4.3. Indication of any immediate medical att	ention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media	
Suitable extinguishing media	: All extinguishing agents can be used.
5.2. Special hazards arising from th No additional information available	e substance or mixture
5.3 Advice for firefighters	

D.J. Advice for firefighters Protection during firefighting

: Use self-contained breathing apparatus and chemically protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

No additional information available

6.1.2. For emergency responders

No additional information available

6.2. Environmental precautions

Prevent entry to sewers and public waters.

6.3. Methods and material for containment and cleaning up Methods for cleaning up : Absorb spilled n

: Absorb spilled material with sand or earth. Shovel or sweep up and put in a closed container for disposal.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling Precautions for safe handling

Hygiene measures

: Avoid contact with skin and eyes. Never return unused material to original container.

: Do not eat, drink or smoke when using this product.

: Keep only in original container. Keep out of frost.

: None known.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

Material(s) to avoid 7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection 8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Potassium hydroxide (1310-58-3)	
Ireland - Occupational Exposure Limits	
Local name	Potassium hydroxide
OEL STEL	2 mg/m ³
Regulatory reference	Chemical Agents Code of Practice 2021
United Kingdom - Occupational Exposure Limits	
Local name	Potassium hydroxide
WEL STEL (OEL STEL)	2 mg/m ³
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE
(2-methoxymethylethoxy)propanol (34590-94	-8)
EU - Indicative Occupational Exposure Limit (IOEL)	
Local name	(2-Methoxymethylethoxy)-propanol
IOEL TWA	308 mg/m ³
IOEL TWA [ppm]	50 ppm
Remark	Skin
Regulatory reference	COMMISSION DIRECTIVE 2000/39/EC COMMISSION DIRECTIVE 2000/39/EC
Ireland - Occupational Exposure Limits	
Local name	(2-Methoxymethylethoxy)-I-propanol
OEL TWA [1]	308 mg/m ³
OEL TWA [2]	50 ppm
Remark	Sk (Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body), IOELV (Indicative Occupational Exposure Limit Values)
Regulatory reference	Chemical Agents Code of Practice 2021
United Kingdom - Occupational Exposure Limits	
Local name	(2-methoxymethylethoxy) propanol
WEL TWA (OEL TWA) [1]	308 mg/m ³
WEL TWA (OEL TWA) [2]	50 ppm
Remark	Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity)
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

8.1.2. Recommended monitoring procedures

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available **8.2. Exposure controls**

8.2.1. Appropriate engineering controls

No additional information available

8.2.2. Personal protection equipment

8.2.2.1. Eye and face protection

Eye protection:

Safety glasses with side-shields (EN 166)

8.2.2.2. Skin protection

Protective equipment:

Wear suitable protective clothing minimum (EN 13034) Type 6 equipment

Hand protection:

Chemical resistant PVC gloves (to European standard EN 374 or equivalent)

8.2.2.3. Respiratory protection

Respiratory protection:

Provide adequate ventilation

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

No additional information available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Brown. Yellow.
Physical state/form	: Liquid.
Odour	: None.
Odour threshold	: Not available
Melting point/range	: < 0 °C
Freezing point	: Not determined as it is not relevant for the characterization of the product
Boiling point/Boiling range	: ≥ 100 °C
Flammability	: Not determined as it is not relevant for the characterization of the product
Explosive limits	: Constituents do not contain chemical groups associated with explosivity
Lower explosion limit	: Constituents do not contain chemical groups associated with explosivity
Upper explosion limit	: Constituents do not contain chemical groups associated with explosivity
Flash point	: Not determined as it is not relevant for the characterization of the product
Autoignition temperature	: Determination of the auto-ignition temperature is only relevant for pyrophoric liquids, however the mixture is not a pyrophoric liquid so the test is not required.
Decomposition temperature	: Only applies to self-reactive substances and mixtures, organic peroxides, and other substances and mixtures that may decompose.
рН	: 13.9
pH solution concentration	: 100
Viscosity, kinematic	: 9 mm²/s
Solubility	: Water: Soluble
Partition coefficient n-octanol/water (Log Kow)	: Does not apply to inorganic and ionic liquids and does not generally apply to mixtures.
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: 1.045 g/ml

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Relative density

Relative vapour density at 20°C

Particle characteristics

- : Not available : Not available
- : Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

No additional information available

10.5. Incompatible materials

Never mix with other materials. Strong acids. 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

Amines, C12-14, alkyldimethyl, N-oxides (308062-28-4)	
LD50 oral rat	1064 mg/kg
ATE CLP (oral)	1064 mg/kg bodyweight
Potassium hydroxide (1310-58-3)	
LD50 oral rat	333 mg/kg
ATE CLP (oral)	333 mg/kg bodyweight
(2-methoxymethylethoxy)propanol (34590-94	4-8)
LD50 oral rat	> 5000 mg/kg
LD50 dermal rabbit	13000 – 14000 mg/kg
ATE CLP (dermal)	13000 mg/kg bodyweight
Benzotriazole (95-14-7)	
LD50 oral rat	560 mg/kg bodyweight
LD50 dermal rabbit	> 2000 mg/kg bodyweight
ATE CLP (oral)	560 mg/kg bodyweight
Cocamidopropyl betaine (97862-59-4)	
LD50 oral rat	2335 mg/kg
LD50 dermal rat	> 2000 mg/kg
ATE CLP (oral)	2335 mg/kg bodyweight
Skin corrosion/irritation	: Causes severe skin burns.
Serious eye damage/irritation	pH: 13.9 : Causes serious eye damage. pH: 13.9
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Carcinogenicity	: Not classified
Reproductive toxicity STOT-single exposure	: Not classified : Not classified
Cocamidopropyl betaine (97862-59-4)	
NOAEL (oral, rat)	300 mg/kg bodyweight
STOT-repeated exposure Aspiration hazard	: Not classified : Not classified
•	
Mida FOAM 164 SO	
Viscosity, kinematic 11.2. Information on other hazards	9 mm²/s
No additional information available	
SECTION 12: Ecological information 12.1. Toxicity Ecology - general	: Harmful to aquatic life with long lasting effects.
Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Harmful to aquatic life with long lasting effects.
Amines, C12-14, alkyldimethyl, N-oxides (3	08062-28-4)
LC50 - Fish [1]	2.67 mg/l
EC50 - Crustacea [1]	3.1 mg/l
ErC50 algae	0.143 mg/l
NOEC chronic algae	≥ 0.0191 mg/l
Potassium hydroxide (1310-58-3)	
LC50 - Fish [1]	80 mg/l
EC50 - Crustacea [1]	30 – 1000 mg/l (OECD 202)
(2-methoxymethylethoxy)propanol (34590-	94-8)
EC50 - Crustacea [1]	1.919 mg/l
ErC50 other aquatic plants	> 969 mg/l
LOEC (chronic)	0.5 mg/l Test organisms (species): Daphnia magna Duration: '22 d'
NOEC (chronic)	≥ 0.5 mg/l Test organisms (species): Daphnia magna Duration: '22 d'
Benzotriazole (95-14-7)	
LC50 - Fish [2]	180 mg/l
EC50 - Crustacea [1]	15.8 mg/l (Daphnia galeata)
EC50 - Crustacea [2]	107 mg/l (Daphnia magna)
EC50 72h - Algae [1]	75 mg/l
EC50 72h - Algae [2]	29 mg/l
NOEC chronic crustacea	0.97 mg/l (Daphnia galeata)
Cocamidopropyl betaine (97862-59-4)	
LC50 - Fish [1]	1.11 mg/l
LC50 - Fish [2]	1.1 mg/l
EC50 - Crustacea [1]	1.9 mg/l
e	
FrC50 algae	2.4 mg/l
ErC50 algae NOEC chronic fish	2.4 mg/l 0.135 mg/l

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.2. Persistence and degradability			
Mida FOAM 164 SO			
Persistence and degradability	criteria as laid down in Regulation (EC) N assertion are held at the disposal of the c	ation complies(comply) with the biodegradability o. 648/2004 on detergents. Data to support this ompetent authorities of the Member States and rect request or at the request of a detergent	
Benzotriazole (95-14-7)			
Persistence and degradability	Not readily biodegradable.		
12.3. Bioaccumulative potential			
Mida FOAM 164 SO			
Partition coefficient n-octanol/water (Log Kow)	Does not apply to inorganic and ionic liqui	ids and does not generally apply to mixtures.	
Amines, C12-14, alkyldimethyl, N-oxides (30	8062-28-4)		
Partition coefficient n-octanol/water (Log Kow)	> 2.7		
Potassium hydroxide (1310-58-3)			
Log Pow	0.75		
(2-methoxymethylethoxy)propanol (34590-9	(2-methoxymethylethoxy)propanol (34590-94-8)		
Log Pow	0.004 (25 °C; pH 7,5 - 7,7) (OECD 107)		
Benzotriazole (95-14-7)			
Bioconcentration factor (BCF REACH)	< 2000		
Partition coefficient n-octanol/water (Log Kow)	1.34		
Bioaccumulative potential	No bioaccumulation.		
 12.4. Mobility in soil No additional information available 12.5. Results of PBT and vPvB assessment No additional information available 12.6. Endocrine disrupting properties No additional information available 12.7. Other adverse effects No additional information available SECTION 13: Disposal considerations 			
13.1. Waste treatment methods Waste / unused products	: Collect all waste in suitable and labelled co legislation.	ontainers and dispose according to local	
European List of Waste (LoW) code	: 20 01 29* - detergents containing dangero		
HP Code	: HP8 - "Corrosive:" waste which on application can cause skin corrosion. HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment		
SECTION 14: Transport information In accordance with ADR / IMDG / IATA			
ADR	IMDG	ΙΑΤΑ	
14.1. UN number or ID number			

14.1. UN number or ID number			
UN 1814	UN 1814	UN 1814	
14.2. UN proper shipping name			
POTASSIUM HYDROXIDE SOLUTION POTASSIUM HYDROXIDE SOLUTION Potassium hydroxide solution			
Transport document description			
UN 1814 POTASSIUM HYDROXIDE SOLUTION, 8, II, (E)	UN 1814 POTASSIUM HYDROXIDE SOLUTION, 8, II	UN 1814 Potassium hydroxide solution, 8, II	
14.3. Transport hazard class(es)			
8	8	8	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ADR	IMDG	ΙΑΤΑ
8	B	B
14.4. Packing group		I
II	II	11
14.5. Environmental hazards		
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No
No supplementary information available		
14.6. Special precautions for user		
Overland transport		
Classification code (ADR)	: C5	
Limited quantities (ADR)	: 11	
Packing instructions (ADR)	: P001, IBC02	
Mixed packing provisions (ADR)	: MP15	
Portable tank and bulk container instructions (ADR)	: T7	
Portable tank and bulk container special provisions (ADR)	: TP2	
Tank code (ADR)	: L4BN	
Vehicle for tank carriage	: AT	
Transport category (ADR)	: 2	
Hazard identification number (Kemler No.)	: 80	
Orange plates	80 1814	
Tunnel code	: E	
EAC code	: 2R	
Transport by sea		
Packing instructions (IMDG)	: P001	
BC packing instructions (IMDG)	: IBC02	
Air transport		
PCA Limited quantities (IATA)	: Y840	
PCA limited quantity max net quantity (IATA)	: 0.5L	
PCA packing instructions (IATA)	: 851	
PCA max net quantity (IATA)	: 1L	
CAO packing instructions (IATA)	: 855	
CAO max net quantity (IATA)	: 30L	
Special provisions (IATA)	: A3, A803	
14.7. Maritime transport in bulk according t		

14.7. Maritime transport in bulk according to IMO instruments Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Detergent Regulation (648/2004)

Labelling of contents		
Component	%	
non-ionic surfactants	5-15%	
amphoteric surfactants	<5%	

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Indication of changes			
Section	Changed item	Change	Comments
	Date first issue	Added	
	Supersedes	Modified	
	Review date	Modified	
	Concentration of the solution used for the pH measurement	Added	
1.1	Name	Modified	
2.1	Adverse physicochemical, human health and environmental effects	Added	
2.1	Classification according to Regulation (EC) No. 1272/2008 [CLP]	ling to Regulation (EC) Modified	
2.2	Precautionary statements (CLP)	Modified	
2.2	Hazard statements (CLP)	Modified	
3	Composition/information on ingredients Modified		
9.1	Density	Modified	
9.1	pH Modified		
9.1	Flammability (solid, gas) Added		
9.1	Flash point	Modified	
9.1	Freezing point	Added	
9.1	Viscosity, kinematic	Added	
9.1	Autoignition temperature	Added	
9.1	Upper explosive limit (UEL)	Added	
9.1	Lower explosive limit (LEL)	Added	
9.1	Explosive limits (g/m ³)	Added	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Indication of changes				
Section	Changed item	Change	Comments	
9.1	Decomposition temperature	Added		
9.1	Log Kow	Added		
12.1	Ecology - general	Added		
12.3	Log Kow	Added		
13.1	HP Code	Added		

Abbreviations and acronyms:			
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road		
ATE	Acute Toxicity Estimate		
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008		
DMEL	Derived Minimal Effect level		
DNEL	Derived-No Effect Level		
EC50	Median effective concentration		
ErC50 (algae)	ErC50 (algae)		
ΙΑΤΑ	International Air Transport Association		
IMDG	International Maritime Dangerous Goods		
LC50	Median lethal concentration		
LD50	Median lethal dose		
LOAEL	Lowest Observed Adverse Effect Level		
NOAEC	No-Observed Adverse Effect Concentration		
NOAEL	No-Observed Adverse Effect Level		
NOEC	No-Observed Effect Concentration		
OECD	Organisation for Economic Co-operation and Development		
PBT	Persistent Bioaccumulative Toxic		
PNEC	Predicted No-Effect Concentration		
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006		
SDS	Safety Data Sheet		
STP	Sewage treatment plant		
vPvB	Very Persistent and Very Bioaccumulative		

Other information

: It is recommended to pass the information from this safety data sheet in an appropriate form to the users. The information is currently to the best of our knowledge and believed to be accurate ana reliable. This information relates to the specifically named product and may not be valid in combination with other products. This safety data sheet is in compliance with 1907/2006/EEC. It is the responsibility of the

user to take all necessary measures to meet local required laws and regulations. The producer is not responsible for any damage and loss due to the use of information mentioned in this safety data sheet.

Full text of H- and EUH-statements:		
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2	
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:			
H290	May be corrosive to metals.		
H302	Harmful if swallowed.		
H314	Causes severe skin burns and eye damage.		
H315	Causes skin irritation.		
H318	Causes serious eye damage.		
H319	Causes serious eye irritation.		
H400	Very toxic to aquatic life.		
H411	Toxic to aquatic life with long lasting effects.		
H412	Harmful to aquatic life with long lasting effects.		
Met. Corr. 1	Corrosive to metals, Category 1		
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A		
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B		
Skin Irrit. 2	Skin corrosion/irritation, Category 2		

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Met. Corr. 1	H290	Calculation method
Skin Corr. 1	H314	On basis of test data
Eye Dam. 1	H318	On basis of test data
Aquatic Chronic 3	H412	Calculation method

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.